

**LOMA LINDA FIRE DEPARTMENT**  
Annual Fire Safety Inspection / Fire Permit Fee Worksheet  
(Contact the Fire Prevention Bureau for Single Event permits)

Name of Business: \_\_\_\_\_ City Business License #: \_\_\_\_\_

Address: \_\_\_\_\_ Date: \_\_\_\_\_

Please place a check mark next to the category or categories that apply to your business.

I. **FIRE SAFETY INSPECTION** Please contact Fire Prevention at 799-2859 if you have any questions or need help in determining the size of your business.

Office, mercantile, manufacturing business or eating and drinking establishment with an occupant load of less than 50. \$\_\_\_\_\_ **A**

Size of business:

- Less than 6,000 square feet \$45 (enter amount on line **A** above)  
 6,000 or more square feet \$90 (enter amount on line **A** above)

Apartment building or complex, condominium complex. \$\_\_\_\_\_ **B**

Number of units:

- 3 - 30 units \$45 (enter amount on line **B** above)  
 31 - 60 units \$70 (enter amount on line **B** above)  
 61 - 100 units \$90 (enter amount on line **B** above)  
 100 + units \$180 (enter amount on line **B** above)

II. **FIRE CODE PERMITS** A permit is required to engage in the following activities, operations, practices or functions as listed in the 2007 California Fire Code App. 1 Section 105.6. All references are to the CFC. Please contact Fire Prevention at 799-2859 if you have any questions or need help in determining whether a permit is required for your business.

- Aerosol products.** To store or handle an aggregate quantity of Level 2 or Level 3 aerosol products in excess of 500 pounds (226.8 kg) net weight.
- Amusement Building.** An operational permit is required to operate a special amusement building.
- Aviation facilities.** An operational permit is required to use a Group H or Group S occupancy for aircraft servicing or repair.
- Carnivals and Fairs.** An operational permit is required to conduct a carnival or fair.
- Cellulose nitrate film.** To store, handle, use or display cellulose nitrate film in a Group A occupancy
- Combustible dust-producing operations.** Required to operate a grain elevator, feed mill, or other operations producing combustible dust.
- Combustible fibers.** To store or handle combustible fibers in quantities in excess of 100 cubic feet (2.83 m<sup>3</sup>). Except agricultural.
- Compressed gases.** To store, use or handle at normal temperatures and pressures compressed gases in excess of the amounts listed in App. Ch.1 Table 105.6.8 (see attached).
- Covered mall buildings.** . To use a covered mall in the following manner:  
1. Placement of retail fixtures/displays of highly combustible goods.  
2. To use open-flame or flame-producing devices.  
3. To display any liquid- or gas-fueled powered equipment..
- Cryogenic fluids.** To produce, store, transport, use, handle, dispense in excess of the amounts listed in App. Ch.1 Table 105.6.10 (see attached).
- Cutting and welding.** An operational permit is required to conduct cutting or welding operations.
- Dry cleaning plants.** To engage in the business of dry-cleaning or to change to a more hazardous cleaning solvent. Such permits shall prescribe the class of system to be used.
- Exhibits and trade shows.** An operational permit is required to operate exhibits and trade shows.
- Explosives.** Permit required to manufacture, store, handle, sell, or use any quantity of explosives or pyrotechnics.
- Fire Hydrants and valves.** An operational permit is required to operate fire hydrants or valves intended for fire suppression purposes.
- Flammable or combustible liquids.**  
1. To use or operate a pipeline for the transportation of flammable or combustible liquids.  
2. To store, handle or use Class I liquids (flash point below 100°F (37.8°C)) in excess of 5 gallons (18.9 L) in a building or in excess of 10 gallons (37.9 L) outside of a building, except that a permit is not required for the following:  
2.1. The storage or use of Class I liquids in the fuel tank of a motor vehicle, aircraft, motorboat, mobile power plant or mobile heating plant, unless such storage, as determined by Fire Prevention, would cause an unsafe condition.  
2.2. The storage or use of paints, oils, varnishes or similar flammable mixtures when such liquids are stored for maintenance, painting or similar purposes for a period of not more than 30 days.  
3. To store, handle or use Class II liquids (flash point at or above 100°F (37.8°C) and below 140°F (60°C)) or Class III-A liquids (flash point at or above 140°F (60°C) and below 200°F (93.3°C)) in excess of 25 gallons (94.6 L) in a building or in excess of 60 gallons (227.1 L) outside a building, except for fuel oil used in connection with oil-burning equipment.  
4. To remove Class I or Class II liquids from an underground storage tank used for fueling motor vehicles by any means other than the approved, stationary on-site pumps normally used for dispensing purposes.

5. To operate tank vehicles, equipment, tanks, plants, terminals, wells, fuel-dispensing stations, refineries, distilleries and similar facilities where flammable and combustible liquids are produced, processed, transported, stored, dispensed or used.
  6. To place temporarily out of service or otherwise dispose of a flammable or combustible liquid tank.
  7. To change the type of contents stored in a flammable or combustible liquid tank to a material other than that for which the tank was designed and constructed.
  8. To manufacture, process, blend, or refine flammable or combustible liquids.
  9. To engage in the dispensing of liquid fuels from tank vehicles into the fuel tanks of motor vehicle by commercial, industrial, governmental or manufacturing establishments.
  10. To utilize a site for the dispensing of liquid fuels from tank vehicles into the fuel tanks of motor vehicle by commercial, industrial, governmental or manufacturing establishments.
- Floor finishing.** Permit is required for floor finishing or surfacing operations exceeding 350 square feet using Class I or Class II liquids.
  - Fruit and crop ripening.** To operate a fruit or crop -ripening facility using ethylene gas.
  - Fumigation and thermal insecticidal fogging.** An operational permit is required to operate a business of fumigation or thermal insecticidal fogging and to maintain room, vault or chamber in which toxic or flammable fumigant is used.
  - Hazardous materials.** To store, transport, dispense, use or handle hazardous materials in excess of the amounts specified in App. Ch.1 Table 105.6.20 (see attached)
  - HPM facilities.** An operational permit is required to store, handle or use hazardous production materials.
  - High-piled combustible storage.** To use any building or portion thereof as a high-piled storage area exceeding 500 square feet (46.45 m<sup>2</sup>)
  - Hot-work operations.** Permits are required for hot work including, but not limited to:
    1. Public exhibitions and demonstrations where hot work is conducted.
    2. Use of portable hot-work equipment inside a structure. **EXCEPTION:** When working under a construction permit issued by the City.
    3. Fixed-site hot-work equipment such as welding booths.
    4. Hot work conducted within a Hazardous Fire Area.
    5. Application of roof coverings with use of open flame device.
    6. Hot Work Program. Program allows for approved personnel to be trained in fire safety and the issuing Hot Work permits to employees under their supervision.
  - Industrial ovens.** An operational permit is required to operate industrial ovens regulated by Ch. 21
  - Lumber yards and woodworking plants.** To store or process lumber in excess of 100,000 board feet.
  - Liquefied or gas-fueled vehicles or equipment in assembly buildings.** An operational permit is required to display, operate, or demonstrate in an assembly building. ("Assembly" is defined as the gathering together of 50 or more persons for such purposes as deliberation, education, instruction, worship, entertainment, amusement, drinking, dining or awaiting transportation.)
  - LP-gas.** An operational permit is required to store or use LP-gas, except individual containers of 500 gallon water capacity or less in a Group R-3.
  - Magnesium.** To melt, cast, heat, or grind more than 10 pounds (4.54 kg) of magnesium per working day.
  - Miscellaneous combustible storage.** An operational permit is required to store in excess of 2,500 cu.ft of combustible empty packing cases, boxes, barrels, tires, cork, rubber, or similar combustible materials.
  - Open burning.** An operational permit is required for the kindling of maintain of an open firer or a fire on any public street, alley, road, or other public or private ground. Instructions and stipulations of the permit shall be adhered to. (Note: No burning of any type shall be permitted unless in possession of a valid permit from the SCAQMD) **EXCEPTION:** Recreational fires.
  - Open flames and torches.** Permit is required to remove paint with a torch or to use a torch or open-flame device in a hazardous fire area.
  - Open flames and candles.** An operational permit is required to open flames or candles in connection with assembly areas, dining areas of restaurants or drinking establishments. (Note: "Assembly" is defined as the gathering together of 50 or more persons for such purposes as deliberation, education, instruction, worship, entertainment, amusement, drinking, dining or awaiting transportation.)
  - Organic coatings.** To manufacture more than 1 gallon (3.79 L) of organic coatings in a working day.
  - Places of assembly.** To operate a place of assembly. ("Assembly" is defined as the gathering together of 50 or more persons for such purposes as deliberation, education, instruction, worship, entertainment, amusement, drinking, dining or awaiting transportation.)
  - Pallets.** Storage, handling, repair or manufacturing of combustible pallets in excess of 100 units at any one site.
  - Private Fire Hydrants.** An operational permit is required for the removal from service, use or operation of private fire hydrants.
  - Pyrotechnical special effects material.** For permits for pyrotechnical special effects material.
  - Pyroxlin plastics.** An operational permit is required for storage or handling of more than 25 pounds of cellulose nitrate (Pyroxlin).
  - Refrigeration equipment.** To install or operate a mechanical refrigeration unit or system regulated.
  - Repair garages and motor fuel dispensing.** A permit is required to operate a repair garage or motor fuel dispensing facility.
  - Rooftop heliports.** An operational permit is required to operate a rooftop heliport.
  - Spraying or dipping.** To conduct a spraying or dipping operation utilizing flammable or combustible liquids or the application of combustible powders.
  - Storage of scrap tires and tire byproducts.** A permit is required if tires or byproducts exceeds 2,500 cu.ft.; for indoor storage of tires.

- Temporary membrane structures, tents and canopies.** To erect or operate an air-supported temporary membrane structure or tent having an area in excess of 200 square feet (18.6 m<sup>2</sup>), or a canopy in excess of 400 square feet (37.2 m<sup>2</sup>), except for structures used exclusively for camping.
- Tire rebuilding plant.** An operational permit is required to operate a tire rebuilding plant.
- Waste handling.** An operational permit is required to operate wrecking yard, junk yards and waste material handling facility.
- Wood products.** To store chips, hogged material, lumber or plywood in excess of 200 cubic feet (5.67 m<sup>3</sup>).
- Additional permits** required for the use of buildings for the purpose of motion picture, television and commercial production including involving the use of pyrotechnics, open flames, motor vehicles or live audiences in buildings for this purpose.

Number of permits checked above: \_\_\_\_\_; If 1, enter \$140 on line **C**, if more than 1, multiply the number by \$100 and enter the amount on line **C**.

\$ \_\_\_\_\_ **C**  
\$ \_\_\_\_\_ **T**

**TOTAL:** Add the amounts entered on lines **A**, **B**, and **C** above; **enter the total on line T.**

**TABLE 105.6.20  
PERMIT AMOUNTS FOR HAZARDOUS MATERIALS**

Combustible liquids	See Section 105.6.16
<b>Corrosive materials</b>	
Gases	See Table 105.6.8
Liquids	55 gallons
Solids	1000 pounds
Explosive materials	See Section 105.6.14
<b>Flammable materials</b>	
Gases	See Table 105.6.8
Liquids	See Section 105.6.16
Solids	100 pounds
<b>Highly toxic materials</b>	
Gases	See Section 105.6.8
Liquids	Any Amount
Solids	Any Amount
<b>Oxidizing materials</b>	
Gases	See Section 105.6.8
Liquids	
Class 4	Any Amount
Class 3	1 gallon
Class 2	10 gallons
Class 1	55 gallons
Solids	
Class 4	Any Amount
Class 3	10 pounds
Class 2	100 pounds
Class 1	500 pounds
<b>Organic peroxides</b>	
Liquids	
Class I	Any Amount
Class II	Any Amount
Class III	1 gallon
Class IV	2 gallons
Class V	No Permit Required
Solids	
Class I	Any Amount
Class II	Any Amount
Class III	10 pounds
Class IV	20 pounds
Class V	No Permit Required
<b>Pyrophoric materials</b>	
Gases	Any Amount
Liquids	Any Amount
Solids	Any Amount
<b>Toxic materials</b>	
Gases	See Section 105.6.8
Liquids	10 gallons
Solids	100 pounds
<b>Unstable (reactive) materials</b>	
Liquids	
Class 4	Any Amount
Class 3	Any Amount
Class 2	5 gallons
Class 1	10 gallons
Solids	
Class 4	Any Amount
Class 3	Any Amount
Class 2	50 pounds
Class 1	100 pounds
<b>Water-reactive materials</b>	
Liquids	
Class 3	Any Amount
Class 2	5 gallons
Class 1	55 gallons
Solids	
Class 3	Any Amount
Class 2	50 pounds
Class 1	500 pounds

**If none of the above categories apply to your business, or if you have further questions, please call the Loma Linda Fire Prevention Bureau at 909-799-2859 for assistance.**

**TABLE 105.6.8**

**PERMIT AMOUNTS FOR COMPRESSED GASES**

Type of Gas	Amount (Cubic feet at NTP)
Corrosive	200
Flammable	200
Highly Toxic	Any Amount
Inert and simple asphyxiant	6,000
Oxidizing (inc.oxygen)	504
Pyrophoric	Any Amount
Toxic	Any Amount

**TABLE 105.6.10**

**PERMIT AMOUNTS FOR CRYOGENIC FLUIDS**

TYPE OF CRYOGENIC FLUID	INSIDE BUILDING (gallons)	OUTSIDE BUILDING (gallons)
Flammable	1	60
Inert	60	500
Oxidizing, includes oxygen	10	50
Physical or health hazard not indicated above	Any Amount	Any Amount